<u>arsafe</u>

Airsafe 1100 Dispatcher Harness

Adaptable to customer requirements

Originally developed in cooperation with the Swedish Air Force for dispatchers and crew on C-130 aircraft, the Airsafe 1100 is an integrated parachute harness approved in Sweden for use with the Butler Quick Attachable Chest with HX-500 canopy. The rescue parachute attaches to the D-rings, connected to two Capewell canopy releases, on the front of the harness.

The harness can be used in combination with a CSAR vest worn under the harness. It also has a removable pocket for emergency oxygen. The pocket can be adapted to fit any oxygen system.

The harness is attached to a fixed point in the aircraft using an elastic attachment strap. There is a three-ring release strap on the back for quick release. There are also tactical flight attachment straps that can be fastened to either the chest strap or the shoulder D-rings.

Custom designs

The Airsafe 1100 Dispatcher Harness can be modified to meet specific customer requirements.



Airsafe 1100 Dispatcher Harness

D-rings for tactical flight
Cover for Capewell Canopy release
Riser Cover
Release handle
Riser D-rings
Chest Strap
Leg Straps
Leg pads
Release strap
Hook knife
Snap Button for Oxygen Pocket

| Technical Data | | |
|-------------------|------------------|--|
| P/N: | 2-1-1100 | |
| Weight: | 4,5 kg / 10 lbs | |
| User length, max | 210 cm / 6'11" | |
| User length, min: | 160 cm / 5'3" | |
| User weight, max: | 120 kg / 265 lbs | |
| User weight, min: | 50 kg / 110 lbs | |

<u>arsafe</u>

Airsafe 1560 Lightweight Door Gunner and Helicopter Crew Harness

Safe, comfortable and flexible

Designed to be worn underneath other equipment such as life jackets or combat vests, the Airsafe 1560 harness was originally developed for the Royal Norwegian Air Force. It provides great flexibility at minimum weight.

Helicopter crew especially such as door gunners, snipers and hoist operators benefit from its running attachment ring which allows unrestricted movement and makes the harness easy to integrate with combat vests, ballistic vests and life jackets.

Features

- Movable attachment at waist level
- Parachute style Quick Release Handle
- Compatible with most life vests and combat vests
- Easy-to-adjust chest strap and leg straps
- Net mesh
- Adjustable attachment strap
- Flexible release handle pocket



Rear view

| Technical Data | | |
|----------------|--------------|--|
| Part Number: | 2-1560 | |
| Weight: | 1,5 kg | |
| User height: | 160 - 200 cm | |
| User weight: | 50 - 120 kg | |

<u>arsafe</u>

Airsafe 3100 Loadmaster and Dispatcher Harness

Used by the Royal Norwegian Air Force for versatility

Developed from the Airsafe 1100 Harness, the Airsafe 3100 can be used with a Quick Attachable Back Parachute connected to the shoulders and waist.

Features

- Elastic rear attachment strap
- Tandem style release handle for rear strap
- Oxygen pockets adaptable to different systems
- Integrated hook knife and/or rescue knife
- Covered Capewell canopy releases
- An accidentally deployed parachute will release rear attachment strap
- Attachment points for Quick Attachable Back Parachute with activation handle at left shoulder

Technical data

| Part Number: | 2-1-3100 |
|--------------------|------------------|
| Weight, harness: | 5,0 kg / 11 lbs |
| Weight, parachute: | 7,0 kg / 15 lbs |
| User height, max: | 210 cm / 6´11" |
| User height, min: | 160 cm / 5´3" |
| User weight, max: | 150 kg / 330 lbs |
| User weight, min: | 50 kg / 110 lbs |



With parachute and PHAOS bottle attached